

- Ager, T. 1982. Vegetational history of western Alaska during the Wisconsin glacial interval and the Holocene. In: Hopkins, D.M., Matthews, J.V., Jr., Schweger, C.E., and Young, S.B., eds., *Paleoecology of Beringia*: New York, Academic Press, p. 75-93.
- Ager, T.A., 2003. Late Quaternary vegetation and climate history of the central Bering land bridge from St. Michael Island, western Alaska. *Quaternary Research*, in press.
- Anderson, P. 1985. Late Quaternary vegetational change in the Kotzebue Sound area, northwestern Alaska. *Quaternary Research* 24, 307-321.
- Anderson, P. 1988. Late Quaternary pollen records from the Kobuk and Noatak River drainages, Northwestern Alaska. *Quaternary Research* 29, 263-276.
- Anderson, P., Bartlein, P., Brubaker, L. 1994. Late Quaternary history of tundra vegetation in Northwestern Alaska. *Quaternary Research* 41, 306-315.
- Anderson, P., Lozhkin, A. (Eds.), in press. Late Quaternary Vegetation and Climate of Siberia and the Russian Far East: A palynological and radiocarbon database. Northeast Interdisciplinary Science Research Institute, Far East Branch, Russian Academy of Sciences,. Magadan, Russia. 369 pp.
- Anderson, P. M., Lozhkin, A., Belya, B., Glushkova, O., Brubaker, L. 1997. A lacustrine pollen record from near altitudinal forest limit, Upper Kolyma Region, northeastern Siberia. *The Holocene* 7, 331-335.
- Anderson, P.M., Lozhkin, A.V., and Belya, B.V. 1998. Younger Dryas in western Beringia (northeastern Siberia). In: Environmental Changes in Beringia During the Quaternary, (K.V. Simakov, ed.), pp. 28-44. North East Interdisciplinary Research Institute. In Russian.
- Anderson, P., Kotov, A., Lozhkin, A., and Trumpe, M. 2002. Palynological and radiocarbon data from late Quaternary deposits of Chukotka. In: Late Quaternary Vegetation and Climate of Siberia and the Russian Far East (Palynological and Radiocarbon Database), (K.V. Simakov, ed.), pp. 35-79. North East Science Center Far East Branch, Russian Academy of Sciences, Magadan.
- Andreev, A., Tarasov, P., Romanenko, F., Sulerzhitsky, L., Terekhov, K. 1998. Vegetation development on the west coast of Baidaratskaya Guba during the Late Pleistocene and Holocene. *Stratigrafiya i geologisheskie korrelatsii* 5, 235-247 (in Russian).
- Andreev, A. A., Klimanov, V. A. 2000. Quantitative Holocene climatic reconstruction from Arctic Russia. *Journal of Paleolimnology* 24, 81-91.

- Andrews, J., Giraudeau, J. 2003. Multi-proxy records showing significant Holocene environmental variability: the inner N. Iceland shelf (Húnaflói). *Quaternary Science Reviews* 22, 175-193.
- Andrews, J., Smith, L., Preston, R., Cooper, T., Jennings, A. 1997. Spatial and temporal patterns of iceberg rafting (IRD) along the East Greenland margin, ca. 68°N, over the last 14 cal. ka. *Journal of Quaternary Science* 12, 1-13.
- Andrews, J., Keigwin, L., Hall, F., Jennings, A. 1999. Abrupt deglaciation events and Holocene palaeoceanography from high-resolution cores, Cartwright Saddle, Labrador Shelf, Canada. *Journal of Quaternary Science* 14, 383-397.
- Andrews, J., Geirsdóttir, A., Hardardóttir, J., Principato, S., Grönvold, K., Kristjansdóttir, G., Helgadóttir, G., Drexler, J., Sveinbjörnsdóttir, A. 2002. Distribution, sediment magnetism and geochemistry of the Saksunarvatn (10 180±60 cal. yr BP) tephra in marine, lake, and terrestrial sediments, northwest Iceland. *Journal of Quaternary Science* 17, 731-745.
- Bennike, O. 2000: Palaeoecologica l studies of Holocene lake sediments from West Greenland. *Palaeoecology , Palaeoclimatology , Palaeogeograph y* 155, 285–304.
- Bennike, O., Weidick, A. 2001. Late Quaternary history around Nioghalvfjerdsfjorden and Jøkelbugten, North-East Greenland. *Boreas* 30, 205-227.
- Bigler, C., Larocque, I., Peglar, S., Birks, H. J. B., Hall, R. 2002. Quantitative multiproxy assessment of long-term patterns of Holocene environmental change from a small lake near Abisko, northern Sweden. *The Holocene* 12, 481-496.
- Birks, C. J. A., Koç, N. 2002. A high-resolution diatom record of late-Quaternary sea-surface temperatures and oceanographic conditions from the eastern Norwegian Sea. *Boreas* 31, 323-344.
- Bourgeois, J., Koerner, R., Gajewski, K., Fisher, D. 2000. A Holocene ice-core pollen record from Ellesmere Island, Nunavut, Canada. *Quaternary Research* 54, 275-283.
- Brubaker, L., Garfinkel, H., Edwards, M. 1983. A late Wisconsin and Holocene vegetation history from the central Brooks Range: Implications for Alaskan paleoecology. *Quaternary Research* 20, 194-214.
- Brubaker, L.B., Anderson, P.M., and Hu, F.S., 2001. Vegetation ecotone dynamics in southwest Alaska during the late Quaternary. *Quaternary Science Reviews* 20, 175-188.
- Burn, C. R. 1997. Cryostratigraphy, paleogeography, and climate change during the early Holocene warm interval, western Arctic coast, Canada. *Canadian Journal of Earth Science* 34, 912-925.

- Burn, C. R., Michel, F. A., Smith, M. W. 1986. Stratigraphic, isotopic, and mineralogical evidence for an early Holocene thaw unconformity at Mayo, Yukon Territory. *Canadian Journal of Earth Science* 23, 794-803.
- Caseldine, C., Geirsdóttir, Á., Langton, P. 2003. Efstadalsvatn - a multi-proxy study of a Holocene lacustrine sequence from NW Iceland. *Journal of Paleolimnology* (in press)
- Christiansen, H., Bennike, O., Böcher, J., Elberling, B., Humlum, O., Jakobsen, B. 2002. Holocene environmental reconstruction from deltaic deposits in northeast Greenland. *Journal of Quaternary Science* 17, 145-160.
- Clayden, S.L., Cwynar, L., MacDonald, G., Velichko, A. 1997. Holocene pollen and stomates from a forest-tundra site on the Taimyr Peninsula, Siberia. *Arctic and Alpine Research* 29, 327-333.
- Colinvaux, P. 1967. A long pollen record from St. Lawrence Island, Bering Sea (Alaska). *Palaeogeography, Palaeoclimatology, Palaeoecology* 3, 29-48.
- Cremer, H., Wagner, B. Melles, M., Hubberten, H. 2001(a). The postglacial development of Raffles Sø, East Greenland: inferences from a 10,000 year diatom record. *Journal of Paleolimnology* 26, 67-87.
- Cremer, H., Melles, M., Wagner, B. 2001(b). Holocene climate changes reflected in a diatom succession from Basaltsø, east Greenland. *Canadian Journal of Botany* 79, 649-656.
- Cuffey, K., Clow, G. 1997. Temperature, accumulation, and ice sheet elevation in central Greenland through the last deglacial transition. *Journal of Geophysical Research* 102, 26383-26396.
- Cwynar, L. 1990. A late Quaternary vegetation history from Lily Lake, Chilkat Peninsula, southeast Alaska. *Canadian Journal of Botany* 68, 1106-1112.
- Cwynar, L., Spear, R. 1995. Paleovegetation and paleoclimatic changes in the Yukon at 6 ka yr B.P. *Geographie physique et Quaternaire* 49, 29-35.
- Dahl, S., Nesje, A. 1996. A new approach to calculating Holocene winter precipitation by combining glacier equilibrium-line altitudes and pine-tree limits: a case study from Hardangerjøkulen, central southern Norway. *The Holocene* 6, 381-398.
- Dahl-Jensen, D., Mosegaard, K., Gundestrup, N., Clow, G., Johnsen, S., Hansen, A., Balling, N. 1998. Past temperatures directly from the Greenland Ice Sheet. *Science* 282, 268-271.

- Dansgaard, W., Johnsen, S. Clausen, H., Langway, C. C. Jr. 1971. Climatic record revealed by the Camp Century ice core. In: The Late Cenozoic Ice Ages (?? Eds), Yale University Press, New Haven-London, pp. 37-56.
- Edwards, M., Anderson, P., Garfinkel, H., Brubaker, L. 1985. Late Wisconsin and Holocene vegetational history of the Upper Koyukuk region, Brooks Range, AK. *Canadian Journal of Botany* 63, 616-626.
- Edwards, M., Brubaker, L. 1986. Late Quaternary vegetation history of the Fishhook Bend area, Porcupine River, Alaska. *Canadian Journal of Earth Science* 23, 1765-1773.
- Edwards, T. W. D., Wolfe, B., MacDonald, G. 1996. Influence of changing atmospheric circulation on precipitation  $\delta^{18}\text{O}$ -temperature relations in Canada during the Holocene. *Quaternary Research* 46, 211-218.
- Edwards, M. E., Bigelow, N. H., Finney, B. P., Eisner, W. R. 2000. Records of aquatic pollen and sediment properties as indicators of late-Quaternary Alaskan lake levels. *Journal of Paleolimnology* 24, 55-68.
- Eiríksson, J., Knudsen, K., Haflidason, H., Henriksen, P. 2000. Late-glacial and Holocene palaeoceanography of the North Icelandic shelf. *Journal of Quaternary Science* 15, 23-42.
- Eisner, W.R., Törnqvist, T.E., Koster, E.A., Bennike, O., Vanleeuwen, J.F.N., 1995. Paleoecological studies of a Holocene lacustrine record from the Kangerlussuaq (Sondre Stromfjord) region of west Greenland. *Quaternary Research* 43, 55-66.
- Fisher, D., Koerner, R., Bourgeois, J., Zielinski, G., Wake, C., Hammer, C., Clausen, H., Gundestrup, N., Johnsen, S., Goto-Azuma, K., Hondoh, T., Blake, E., Gerasimoff, M., 1998. Penny ice cap cores, Baffin Island, Canada, and the Wisconsinan Foxe Dome connection; two states of Hudson Bay ice cover. *Science*, Volume 279, 692-695.
- Forman, S., Ingólfsson, Ó., Gataullin, V., Manley, W., Lokrantz, H. 2002. Late Quaternary stratigraphy, glacial limits, and paleoenvironments of the Marresale Area, western Yamal Peninsula, Russia. *Quaternary Research* 57, 355-370.
- Fredskild, B. 1973. Studies in the vegetational history of Greenland. *Meddelelser om Gronland* 198, Nyt Nordisk Forlag., Copenhagen, Denmark 245 pp.
- Fredskild, B., 1983. The Holocene vegetational development of the Godthåbsfjord area, west Greenland. *Meddelelser om Grønland*. Bioscience10, 2-28.
- Gajewski, K. 1995. Modern and Holocene pollen assemblages from some small Arctic lakes on Somerset Island, NWT, Canada. *Quaternary Research* 44, 228-236.

Gajewski, K., Frappier, M. 2001. A Holocene lacustrine record of environmental change in northeastern Prince of Wales Island, Nunavut, Canada. *Boreas* 30, 285-289.

Gajewski, K., Garralla, S. 1992. Holocene vegetation histories from three sites in the tundra of northwestern Quebec, Canada. *Arctic and Alpine Research* 24, 329-336.

Gajewski, K., Mott, R., Ritchie, J., Hadden, K. 2000. Holocene vegetation history of Banks Island, Northwest Territories, Canada. *Canadian Journal of Botany* 78, 430-436.

Gajewski, K., Payette, S., Ritchie, J. 1993. Holocene vegetation history at the boreal-forest-shrub-tundra transition in north-western Québec. *Journal of Ecology* 81, 433-443.

Gervais, B., MacDonald, G., Snyder, J., Kremenetski, C. 2002. *Pinus sylvestris* treeline development and movement on the Kola Peninsula of Russia: pollen and stomate evidence. *Journal of Ecology* 90, in press.

Giraudeau, J., Cremer, M., Manthé, S., Labeyrie, L., Bond, G. 2000. Coccolith evidence for instabilities in surface circulation south of Iceland during Holocene times. *Earth and Planetary Science Letters* 179, 257-268.

Grootes, P., Stuiver, M., White, J., Johnsen, S., Jouzel, J. 1993. Comparison of oxygen isotope records from the GISP2 and GRIP Greenland ice cores. *Nature* 366, 552-554.

Hagen, S. 1999. North Atlantic paleoceanography and climate history during the last c. 70 cal. ka years. Unpublished doctoral thesis, Faculty of Science, Univ. of Tromso, 110 pp.

Hagen, S., 1995. Watermass characteristics and climate in the Nordic Seas during the last 10,200 years. *Candidatus Scientiarum*, University of Tromso, Norway, 114 pp.

Hallsdóttir, M. 1991. Studies in the vegetational history of north Iceland. A radiocarbon-based pollen diagram from Flateyjardalur. *Jökull* 40, 67-81

Hallsdóttir, M. 1995. On the pre-settlement history of Icelandic vegetation. *Icelandic Agricultural Science* 9, 17-29.

Hansen, B. C. S., Engstrom, D. 1996. Vegetation history of Pleasant Island, southeastern Alaska, since 13,000 yr B. P. *Quaternary Research* 46, 161-175.

Hu, F.S., Brubaker, L., Anderson, P. 1995. Postglacial vegetation and climate change in the northern Bristol Bay region, southwestern Alaska. *Quaternary Research* 43, 382-392.

Hu, F. S., Brubaker, L. B., and Anderson, P. M., 1996. Boreal Ecosystem Development in the Northwestern Alaska Range since 11,000 yr. B.P. *Quaternary Research*, v. 45, p. 188-201.

- Hu, F. S., Ito, E., Brubaker, L., Anderson, P. 1998. Ostracode geochemical record of Holocene climatic change and implications for vegetational response in the northwestern Alaska Range. *Quaternary Research* 49, 86-95.
- Hu, F. S., Lee, B. Y., Kaufman, D., Yoneji, S., Nelson, D., Henne, P. 2002. Response of tundra ecosystem in southwestern Alaska to Younger-Dryas climatic oscillation. *Global Change Biology* 8, 1156-1163.
- Hyvärinen, H. 1985. Holocene pollen stratigraphy of Baird Inlet, east-central Ellesmere Island, arctic Canada. *Boreas* 14, 19-32.
- Jasinski, J., Warner, B., Andreev, A., Aravena, A., Gilbert, S., Zeeb, B., Smol, J., Velichko, A. 1998. Holocene environmental history of a peatland in the Lena River valley, Siberia. *Canadian Journal of Earth Science* 35, 637-648.
- Jennings, A., Knudsen, K., Hald, M., Hansen, C., Andrews, J. 2002. A mid-Holocene shift in Arctic sea-ice variability on the East Greenland Shelf. *The Holocene* 12, 49-58.
- Johnsen, S., Dahl-Jensen, D., Gundestrup, N., Steffensen, J., Clausen, H., Miller, H., Masson-Delmotte, V., Sveinbjörnsdóttir, A., White, J. 2001. Oxygen isotope and palaeotemperature records from six Greenland ice-core stations: Camp Century, Dye-3, GRIP, GISP2, Renland and NorthGRIP. *Journal of Quaternary Science* 16, 299-307.
- Johnsen, S., Clausen, H., Dansgaard, W., Fuhrer, K., Gundestrup, N., Hammer, C., Iversen, P., Jouzel, J., Stauffer, B., Steffensen, J., 1992. Irregular glacial interstadials recorded in a new Greenland ice core. *Nature* 359, 311-313.
- Kaplan, M., Wolfe, A., Miller, G. 2002. Holocene environmental variability in southern Greenland inferred from lake sediments. *Quaternary Research* 58, 149-159.
- Karpuz, N. Koç, Jansen, E. 1992. A high-resolution diatom record of the last deglaciation from the SE Norwegian Sea: documentation of rapid climatic changes. *Paleoceanography* 7, 499-520.
- Kerwin, M.W., Overpeck, J.T., Webb, R.S., Anderson, K.H. submitted. Pollen-based summer temperature reconstructions for the eastern Canadian boreal forest, subarctic, and arctic. *Quaternary Science Reviews*.
- Koç, N., Jansen, E., Haflidason, H. 1993. Paleoceanographic reconstructions of surface ocean conditions in the Greenland, Iceland, and Norwegian seas through the last 14 ka based on diatoms. *Quaternary Science Reviews* 12, 115-140.
- Koerner, R., Fisher, D. 1990. A record of Holocene summer climate from a Canadian high-Arctic ice core. *Nature* 343, 630-631.

Korhlola, A., Vasko, K., Toivonen, H., Olander, H. 2002. Holocene temperature changes in northern Fennoscandia reconstructed from chironomids using Bayesian modeling. *Quaternary Science Reviews* 21, 1841-1860.

Korholma, A., Weckström, J., Holmström, L., Erästö, P. 2000. A quantitative Holocene climatic record from diatoms in northern Fennoscandia. *Quaternary Research* 54, 284-294.

Lacourse, T., Gajewski, K. 2000. Late Quaternary vegetation history of Sulphur Lake, southwest Yukon Territory, Canada. *Arctic* 53, 27-35.

Levac, E., de Vernal, A. 1997. Postglacial changes of terrestrial and marine environments along the Labrador coast: palynological evidence from cores 91-045-005 and 91-045-006, Cartwright Saddle. *Canadian Journal of Earth Science* 34, 1358-1365.

Levac, Elisabeth; de Vernal, Anne; Blake, Weston, Jr., 2001. Sea-surface conditions in northernmost Baffin Bay during the Holocene; palynological evidence. *Journal of Quaternary Science*, vol.16, no.4, pp.353-363.

Lozhkin, A., Anderson, P., Eisner, W., Ravako, L., Hopkins, D., Brubaker, L., Colinvaux, P., Miller, M. 1993. Late Quaternary lacustrine pollen records from Southwestern Beringia. *Quaternary Research* 39, 314-324.

Lozhkin, A.V., Anderson, P.M., Brubaker, L.B., and Prokhorova, T.P. 1995. The first results of palynological analyses of lacustrine sediments from Chukotka. *Doklady Akademii Nauk* 342, 540-542. In Russian.

Lozhkin, A.V., Anderson, P.M., Brubaker, L.B., Kotov, A.N. Kotova, L.N. and Prokhorova, T.P. 1998(a). The herb pollen zone from sediments of glacial lakes. In: (K.V. Simakov, ed.) Environmental Changes in Beringia During the Quaternary, pp. 96-111. North Ea

Lozhkin, A.V., D.M. Hopkins, T.B. Solomatina, W.R. Eisner, J. Brigham-Grette, 1998(b). Radiocarbon dates and palynological characteristics of peat from St. Lawrence Island, Alaska. In, Environmental changes in Beringia during the Quaternary. Northeast Int

Lozhkin, A. V., Anderson, P. M., Vartanyan, S., Brown, T., Belya, B., Kotov, A. 2001. Late Quaternary paleoenvironments and modern pollen data from Wrangel Island (Northern Chukotka). *Quaternary Science Reviews* 20, 217-233.

Lubinski D., Korsun, S., Polyak, L., Forman, S., Lehman, S., Herlihy, F., Miller, G. 1996. The last deglaciation of the Franz Victoria Trough, northern Barents Sea. *Boreas* 25, 89-100.

- Lubinski, D., Polyak, L., Forman, S. 2001. Freshwater and Atlantic water inflows to the deep Barents and Kara seas since ca 13  $^{14}\text{C}$  ka: foraminifera and stable isotopes. *Quaternary Science Reviews* 20, 1851-1879.
- MacDonald, G. 1983. Holocene vegetation history of the upper Natla River area, Northwest Territories, Canada. *Arctic and Alpine Research* 15, 169-180.
- MacDonald, G. M. 1987. Postglacial vegetation history of the Mackenzie River Basin. *Quaternary Research* 28, 245-262.
- MacDonald, G. M., Edwards, T., Moser, K., Pienitz, R. 1993. Rapid response of treeline vegetation and lakes to past climate warming. *Nature* 361, 243-246.
- Marchal, O., Cacho, I., Stocker, T., Grimalt, J., Calvo, E., Martrat, B., Shackleton, N., Vautravers, M, Cortijo, E., van Kreveld, S., Andersson, C., Koç, N., Chapman, M., Sbaffi, L., Duplessy, J-C., Sarnthein, M., Turon, J-L., Duprat, J., Jansen, E. 2002. Apparent long-term cooling of the sea surface in the northeast Atlantic and Mediterranean during the Holocene. *Quaternary Science Reviews* 21, 455-483.
- McGowan, S., Ryves, D.B., Anderson, N.J. 2003. Holocene records of effective precipitation in west Greenland. *The Holocene* 13, 239-249.
- Miller, G., Mode, W., Wolfe, A., Sauer, P., Bennike, O., Forman, S., Short, S., Stafford, T. Jr. 1999. Stratified interglacial lacustrine sediments from Baffin Island, Arctic Canada: chronology and paleoenvironmental implications. *Quaternary Science Reviews* 18, 789-810.
- Mode, W. 1980. Quaternary stratigraphy and palynology of the Clyde Foreland, Baffin Island, N. W. T., Canada. Doctoral dissertation (monograph), University of Colorado, Boulder, 233 p.
- Mode, W. N. 1996. The Terrestrial Record of Postglacial Vegetation and Climate from the Arctic/Subarctic of Eastern Canada and West Greenland. *Geoscience Canada* 23, 213-216.
- Mode, W., Jacobs, J. 1987. Surficial geology and palynology, inner Frobisher Bay. In Glacial Geology and Holocene events, southern Baffin Island, NWT: Guidebook for Field Trip C2, 12<sup>th</sup> International Congress, International Union for Quaternary Research, Ottawa, ON, pp. 53-62.
- Moser, K., MacDonald, G. 1990. Holocene vegetation change at treeline north of Yellowknife, Northwest Territories, Canada. *Quaternary Research* 34, 227-239.
- Naidina, O., Bauch, H. 2001. A Holocene pollen record from the Laptev Sea shelf, northern Yakutia. *Global and Planetary Change* 31, 141-153.

- Oswald, W., Brubaker, L., and Anderson, P. 1999. Late Quaternary vegetational history of the Howard Pass area, northwestern Alaska. *Canadian Journal of Botany* 77, 570-581.
- Peteet, D., Andreev, A., Bardeen, W., Mistretta, F. 1998. Long-term Arctic peatland dynamics, vegetation and climate history of the Pur-Taz region, Western Siberia. *Boreas* 27, 115-126.
- Pienitz, R., Smol, J., Last, W., Leavitt, P., Cumming, B. 2000. Multi-proxy Holocene palaeoclimatic record from a saline lake in the Canadian Subarctic. *The Holocene* 10, 673-686.
- Pisaric, M., Holt, C., Szeicz, J., Karst, T., Smol, J. 2003. Holocene treeline dynamics in the mountains of northeastern British Columbia, Canada, inferred from fossil pollen and stomata. *The Holocene* 13, 161-173.
- Polyak, L., Levitan, M., Khusid, T., Merklin, L., Mukhina, V. 2002. Variations in the influence of riverine discharge on the Kara Sea during the last deglaciation and the Holocene. *Global and Planetary Change* 32, 291-309.
- Pitkänen, A., Turunen, J., Tahvanainen, T., Tolonen, K. 2002. Holocene vegetation history from the Salym-Yugan Mire area, west Siberia. *The Holocene* 12, 353-362.
- Richard, P. 1977. Histoire Post-Wisconsinienne de la végétation du Québec méridional par l'analyse pollinique. Service de la Recherche, Ministère des Terres et Forêts, Québec. 2 volumes.
- Richard, P. 1981. Paleophytographie postglaciaire en Ungava par l'analyse pollinique. Collection Paleo-Québec, no. 13, 154 p.
- Ritchie, J. 1977. The modern and late-Quaternary vegetation of the Campbell-Dolomite uplands near Inuvik, Northwest Territories, Canada. *Ecological Monographs* 47, 401-423.
- Ritchie, J. C., Cwynar, L. 1982. The late Quaternary vegetation of the north Yukon. In *Paleoecology of Beringia* (D. Hopkins, J. Matthews, Jr., C. Schweger, S. Young, eds.). Academic Press, Inc.
- Ritchie, J., Hare, F. 1971. Late-Quaternary vegetation and climate near the Arctic treeline of northwestern North America. *Quaternary Research* 1, 331-342.
- Ritchie, J. C., Cwynar, L. C., Spear, R. W. 1983. Evidence from north-west Canada for an early Holocene Milankovitch thermal maximum. *Nature* 305, 126-128.
- Rosén, P., Segerström, U., Eriksson, L., Renberg, I., Birks, H. J. B. 2001. Holocene climatic change reconstructed from diatoms, chironomids, pollen and near-infrared spectroscopy at an alpine lake (Sjöodjijaure) in northern Sweden. *The Holocene* 11, 551-562.

Rühland, K. 2001. *Diatom assemblage shifts relative to changes in environmental and climatic conditions in circumpolar treeeline regions of the Canadian and Siberian Arctic*. Ph. D. Thesis, Queen's University, Kingston, Ontario, Canada. 265 pp.

Rühland, K., Smol, J., Jasinski, J., and Warner, B. 2000. Response of diatoms and other siliceous indicators to the developmental history of a peatland in the Tiksi Forest, Siberia, Russia. *Arctic, Antarctic, and Alpine Research* 32, 167-178.

Sejrup, H., Haflidason, H., Flatebø, T., Kristensen, D., Grøsfjeld, K., Larsen, E. 2001. Late-glacial to Holocene environmental changes and climate variability: evidence from Voldafjorden, western Norway. *Journal of Quaternary Science* 16, 181-198.

Seppä, H., Birks, H. 2001. July mean temperature and annual precipitation trends during the Holocene in the Fennoscandian tree-line area: pollen-based climate reconstructions. *The Holocene* 11, 527-539.

Shilo, N., Lozhkin, A., Anderson, P., Belya, B., Stetsenko, T., Glushkova, O., Brigham-Grette, J., Melles, M., Minyuk, P., Novacheck, N., Forman, S. 2001. First continuous pollen record of climate and vegetation changes in the Bering Sea region for the past 300 ka. *Doklady Earth Sciences* 376, 19-22.

Short, S.K., Nichols, H., 1977. Holocene pollen diagrams from subarctic Labrador-Ungava: Vegetational history and climatic change. *Arctic and Alpine Research* 9, 265-290.

Smith, L. 2001. Holocene environmental reconstruction of the continental shelves adjacent to the Denmark Strait. Unpublished PhD thesis, Univ. of Colorado, Boulder. 219 pp.

Smith, R. I. 2002. Diatom-based Holocene paleoenvironmental records from continental sites on northeastern Ellesmere Island, high Arctic, Canada. *Journal of Paleolimnology* 27, 9-28.

Smol, J.P., 1983. Paleophycology of a high Arctic lake near Cape Herschel, Ellesmere Island. *Canadian Journal of Botany* 61, 2195-2204.

Snyder, J., MacDonald, G., Forman, S., Tarasov, G., Mode, W. 2000. Postglacial climate and vegetation history, north-central Kola Peninsula. Russia: pollen and diatom records from Lake Yarnyshnoe-3. *Boreas* 29, 261-271.

Spear, R. 1993. The palynological record of Late-Quaternary arctic tree-line in northwest Canada. *Review of Palaeobotany and Palynology* 79, 99-111.

Szeicz, J. M., MacDonald, G. M., Duk-Rodkin, A. 1995. Late Quaternary vegetation history of the central Mackenzie Mountains, Northwest Territories, Canada. *Palaeogeography, Palaeoclimatology, Palaeoecology* 113, 351-371.

Van Kreveld et al., in press

Vardy, S., Warner, B., and Aravena, R. 1998. Holocene climate and the development of a subarctic peatland near Inuvik, Northwest Territories, Canada. *Climatic Change* 40, 285-313.

Vasari, Y., Vasari, A. 1990. L'histoire holocène des lacs Islandais. In: Devers. S. (Ed.), Pour Jean Malaurie. 102 témoignages en hommage à quarante ans d'études arctiques. Éditions Plon, Paris, pp. 277-293.

Wagner, B., Melles, M. 2001. A Holocene seabird record from Raffles Sø sediments, East Greenland, in response to climatic and oceanic changes. *Boreas* 30, 228-239.

Wagner, B., Melles, M. 2002. Holocene environmental history of western Ymer Ø, East Greenland, inferred from lake sediments. *Quaternary International* 89, 165-176.

Wagner, B., Melles, M., Hahne, J., Niessen, F., Hubberten, H. 2000. Holocene climate history of Geographical Society Ø, East Greenland- evidence from lake sediments. *Palaeogeography, Palaeoclimatology, Palaeoecology* 160, 45-68.

Wastl, M., Stötter, J., Caseldine, C. 2001. Reconstruction of Holocene variations of the upper limit of tree or shrub birch growth in northern Iceland based on evidence from Vesturárdalur-Skiðadalur, Tröllaskagi. *Arctic, Antarctic, and Alpine Research* 33, 191-203.

Willemse, N., Törnqvist, T. 1999. Holocene century-scale temperature variability from West Greenland lake records. *Geology* 27, 580-584.

Wolfe, A. 1994. Late Wisconsinan and Holocene diatom stratigraphy from Amorok Lake, Baffin Island, N.W.T., Canada. *Journal of Paleolimnology* 10, 129-139

Wolfe, A. 1996. A high-resolution late-glacial and early Holocene diatom record from Baffin Island, eastern Canadian Arctic. *Canadian Journal of Earth Sciences* 33, 928-937.

Wolfe, B. B., Edwards, T., Aravena, R., Forman, S., Warner, B., Velichko, A., MacDonald, G. 2000. Holocene paleohydrology and paleoclimate at treeline, north-central Russia, inferred from Oxygen isotope records in lake sediment cellulose. *Quaternary Research* 53, 319-329.

Wolfe, B., Edwards, T., Jiang, H., MacDonald, G., Gervais, B., Snyder, J. 2003. Effect of varying oceanicity on early to mid-Holocene paleohydrology, Kola Peninsula, Russia. *The Holocene* 13, 153-160.